

Weekly Report: #51 Report created: May 18, 2021 Created by Jessica Clifton v1

LIVING & WORKING IN PRIMARY CARE DURING COVID-19

A research study to understand how the primary care professional is personally affected during this crisis


Results: 60% of participants are experiencing burnout in one or more domains (see graphic). 22% of respondents (n = 117) reported that they have or had COVID-19.



Interestingly, having experienced COVID-19 was related to more intense feelings of emotional exhaustion, but not self-reported experiences of COVID strain.

Methods: REDCap online surveys were distributed to primary care professionals weekly starting May 18, 2020. Participants can choose to complete the survey once or several times.

Participants: We have recruited 1,328 participants from all 50 states: 37% physicians, 12% nurse practitioners and



physician assistants, 15% nurses, 7% medical assistants, 13% behavioral health providers, 6% non-clinical, and 10% other clinical; 78% of participants are women; the average years working in their current role is 8 years (median; 0.1 to 70 years); 84% white, 4% black or African American, 2% American Indian or Alaska Native, 5% Asian, 5% other (*eg*, Pacific Islander, Hawaiian, Latinx/Hispanic, Middle Eastern, "mixed", or "prefer not to say").

Contact Us: 802-656-4560 ° healthcare.covid19@med.uvm.edu ° go.uvm.edu/primarycare

Note: *Data cleaning has resulted in the removal of potential duplicates, incomplete responses, and ineligible participants (total of 43 removed from analysis to date). Interpret preliminary results with caution. The findings are not generalizable given the small sample size. In other words, we cannot assume these data reflect all primary care professionals. The number of respondents may change based on the questions posed for the week/month. The aMBI (Riley, et al., 2017) was modified to assess acute (weekly) burnout (range of each subscale: 0-12). Scoring: Exhaustion 6+; Depersonalization 3+; Accomplishment <7. Therefore, the results cannot be compared across studies using the aMBI. For tips/resources on coping with distress during a pandemic, click here.